

ANSI/FSC	Red Light	Eco	Low	Medium	High	Turbo
OUTPUT LUMENS	1	5	50	150	400	950
RUNTIME	100h	100h	29h	10h	3h	48min
DISTANCE	–	26ft (8m)	89ft (27m)	151ft (46m)	249ft (76m)	381ft (116m)
INTENSITY	–	18cd	179cd	536cd	1430cd	3396cd
IMPACT RESISTANCE	1m					
WATERPROOF	IPX-8 (underwater to 2m)					
SIZE	Length: 3.4" (87mm) Width: 1.8" (46mm) Height: 2.0" (51mm)					
WEIGHT	4.3 oz. (121g) excluding batteries					
INCLUDED	2600mAh battery, USB cable, headband, headlamp strap, top headband mount, spare O-ring					



Supplementary red light

Red light can preserve night vision,
makes it comfortable for eyes

A close-up photograph of a black headlamp against a black background. A grey Micro-USB cable is plugged into a circular charging port on the side of the headlamp. Below the port is a small red LED indicator light. The headlamp has a textured lens and a silver-colored ring around the lens.

Micro-USB charging function

The headlamp can be charged directly by USB charging cable with 18650 rechargeable Li-ion battery in it.

When charging, red lights flash

When fully charged, red lights will be constant-on.



IPX-8 waterproof rating

Waterproof to IPX-8 standard (2 meters submersible) even if the anti-dust cover is unplugged